Epson EX3280 Projector met normale projectieafstand 3600 ANSI lumens 3LCD XGA (1024x768) Wit

Merk: Epson Artikelcode: V11H975020

Productnaam: EB-E10

Epson EX3280. Projector helderheid: 3600 ANSI lumens, Projectietechnologie: 3LCD, Projector native resolution: XGA (1024x768). Type lichtbron: Lamp, Levensduur van de lichtbron: 6000 uur, Levensduur van de lichtbron (besparingsmodus): 12000 uur. Focus: Handmatig, Vaste focale lengte: 16,7 mm, Zoom type: Auto. Formaat analoog signaal: NTSC, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM, Videobewerking: 10 Bit, Video kleurenmodi: Schoolbord, Bioscoop, Dynamisch, Presentatie, sRGB. HDMlconnector type: Volledige grootte





Projector		Features	
Screen size compatibility * Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) *	762 - 8890 mm (30 - 350") 3600 ANSI lumens 3LCD XGA (1024×768) 15000:1	Interactive * Noise level (economic mode) On Screen Display (OSD) Noise level * Multimedia	X 28 dB ✓ 37 dB
Native aspect ratio * Number of colours Keystone correction, horizontal Keystone correction, vertical	4:3 1.07 billion colours -30 - 30° -30 - 30°	Built-in speaker(s) * RMS rated power Number of built-in speakers	2 W 1
Light source		Design	
Light source type * Service life of light source * Service life of light source (economic mode) Lamp type Lamp power Lamps quantity	Lamp 6000 h 12000 h UHE 210 W 1 lamp(s)	Market positioning * Product type * Product colour * Housing material Placement Cable lock slot Cable lock slot type	Presentation Standard throw projector White Plastic Ceiling, Desktop Kensington
Lens system		Display	
Focus * Fixed focal length Zoom type	Manual 16.7 mm Auto	Built-in display * Power	×
Zoom ratio Throw ratio	1.35:1 1.44 - 1.95:1	Power source * Power consumption (typical) *	AC 345 W
Video		Power consumption (standby) * Power consumption (economy	0.3 W
Analog signal format system * Full HD *	NTSC, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM X	mode) AC input voltage AC input frequency	235 W 100-240 V 50 - 60 Hz
3D *	X 10 hit	Operational conditions	
Video processing Video colour modes	10 bit Blackboard, Cinema, Dynamic, Presentation, sRGB	Operating temperature (T-T) Weight & dimensions	5 - 40 °C
Ports & interfaces		Width	302.3 mm
HDMI connector type USB 2.0 ports quantity USB 2.0 Type-B ports quantity	Full-size 1 1	Depth Height Weight *	236.2 mm 81.3 mm 2.4 kg
VGA (D-Sub) ports quantity *	1	Packaging content	
HDMI ports quantity * DVI port * AC (power) in	1 × •	Cables included Carrying case Manual	AC ✓

Network		Packaging content	
Smart TV * Ethernet LAN *	× ×	Bundled software	Inhalt DIY-App, Epson Projektor Management, Epson Projektor Professional Tool
Wi-Fi *	×	Technical details	
Storage		USB display function	2 in 1: Image / Mouse
Card reader integrated *	×	Logistics data	
		Quantity per pack	1 pc(s)
		Products per pallet	84 pc(s)
		Pallet gross weight	0 g
		Products per pallet (UK)	126 pc(s)
		Pallet weight (UK)	0 g

